


# EUROPEAN DOORS

## EXTERIOR DOORS



Innovation At Your Doorstep



# INDEX

---

COLORS	4
TYPES OF FINISH	5
DOOR STRUCTURE	6
<hr/>	
AMBERG	8
BAZYLEA	8
BIENE	8
EBERN	9
FRYBURG	9
HORN	9
KELLA	10
KREBEN	10
LANGEN	10
LEIMEN	11
LEOBEN	11
LINDEN	11
LUCERNA	12
LUTTER	12
MELK	12
MURTER	13
RODING	13
ROTTERDAM	13
SAMEDAN	14
SELTERS	14
SION	14
SINGEN	15
SOLID	15
TREBUR	15
WELS	16
WIENER	16
<hr/>	
GLAZING UNIT	17
HARDWARE CONFIGURATIONS	18
ACCESSORIES	19


# COLORS

PVC Veneer, engineered for outdoor applications, offers exceptional durability against varying weather conditions and UV radiation.


**5** years of  
**WARRANTY**  
**FOR THE VENEER**



## WINDOW GLAZING



## SIDELIGHTS: CUSTOM CONFIGURATIONS



These stylish additions not only elevate your home's curb appeal but also bring in natural light, creating a warm and inviting entryway.




# TYPES OF FINISH

## PLAIN FINISH

Door skin colors are flush with the leaf surface at the side of the slab.



Panel flush with the surface of the leaf made of black glass.





- 1 glazing
- 2 leaf
- 3 a black-painted stainless steel decorative panel attached to the surface of the leaf
- 4 a stainless steel decorative panel with an INOX finish attached to the surface of the leaf
- 5 a glass panel that is level with the surface of the leaf and can only be on the rabbet side
- 6 a glass panel with beveled edges attached to the surface of the leaf
- 7 black spacer bar

## LABEL FINISH


The decorative panel is placed on the surface of the leaf creating a delicate 3D effect.




Panel with a thickness of 5 mm made of black glass with chamfering.



Panel with a thickness 2 mm painted black.




Panel with a thickness 2 mm in an INOX finish.




## STAMP FINISH

A clear and eye-catching pattern embossed on the surface of the leaf.



Double-sided embossing width 10 mm, depth 2 mm.




Double-sided embossing width 25 mm, depth 2 mm.



Double-sided embossing, 25 mm wide, with an inlay in INOX finish or painted black. The inlay can be on one or both sides. It can be flush with the leaf surface (STAMP) or attached to a flat surface (LABEL).

# DOOR STRUCTURE



## THERMAL PROFILES







# AMBERG


LABEL  
OPTIONS



AMBERG 1



AMBERG 2



AMBERG 3



AMBERG 4

# BAZYLEA

LABEL  
OPTIONS



BAZYLEA 1



BAZYLEA 2



BAZYLEA 3



BAZYLEA 4



BAZYLEA 5

# BIENE

STAMP & LABEL  
OPTIONS



BIENE 1



BIENE 2






BIENE 3



BIENE 4

# EBERN

LABEL  
OPTIONS



EBERN 1

EBERN 2


EBERN 3

EBERN 4

EBERN 5

# FRYBURG

LABEL  
OPTIONS



FRYBURG 3

FRYBURG 4

FRYBURG 5

FRYBURG 6

# HORN

LABEL  
OPTIONS



HORN 1

HORN 2

HORN 4

HORN 5



# KELLA

STAMP  
OPTIONS



KELLA 1



KELLA 2



KELLA 3



KELLA 4

# KREBEN

LABEL  
OPTIONS



KREBEN 1



KREBEN 2

# LANGEN

LABEL  
OPTIONS



LANGEN 1



LANGEN 2



LANGEN 6



LANGEN 7



LANGEN 8

# LEIMEN

LABEL  
OPTIONS



LEIMEN 1

LEIMEN 2

LEIMEN 3

LEIMEN 4

LEIMEN 5

# LEOBEN

LABEL  
OPTIONS



LEOBEN 1

LEOBEN 2

LEOBEN 3

LEOBEN 4

# LINDEN

LABEL  
OPTIONS



LINDEN 1

LINDEN 2

LINDEN 3

LINDEN 4

LINDEN 5

# LUCERNA

LABEL  
OPTIONS



LUCERNA 1



LUCERNA 2

# LUTTER

STAMP  
OPTIONS



LUTTER 1

# MELK

LABEL  
OPTIONS



MELK 1



MELK 2



# MURTER

LABEL  
OPTIONS



MURTER 1



MURTER 2



MURTER 3



MURTER 4



MURTER 5

# RODING

LABEL  
OPTIONS



RODING 1



RODING 2

# ROTTERDAM

LABEL  
OPTIONS



ROTTERDAM 1



ROTTERDAM 2



ROTTERDAM 3



ROTTERDAM 4

# SAMEDAN

LABEL  
OPTIONS



SAMEDAN 1



SAMEDAN 2



SAMEDAN 3



SAMEDAN 4



SAMEDAN 5

# SELTERS

LABEL  
OPTIONS




SELTERS 2



SELTERS 3



SELTERS 4



SELTERS 5



SELTERS 7

# SION

LABEL  
OPTIONS



SION 1



SION 2

# SINGEN

LABEL  
OPTIONS



SINGEN 1



SINGEN 2



SINGEN 3



SINGEN 5



SINGEN 6

# SOLID

SOLID  
OPTIONS



SOLID



SOLID



SOLID

# TREBUR


LABEL  
OPTIONS



TREBUR 1



TREBUR 2



TREBUR 4



TREBUR 7



TREBUR 10



# WELS

LABEL  
OPTIONS



WELS 1



WELS 2



WELS 4



WELS 5



WELS 7

# WIENER

LABEL  
OPTIONS



WIENER 1




WIENER 2



WIENER 3




# GLAZING UNIT



		HEAT INSULATION U (Btu/h·ft²·F)	
		FULL DOORS	DOORS WITH GLAZING
THERMO HOT	88	0.106	0.178
THERMO HOT	78	0.110	0.125
THERMO	78	0.113	0.127
THERMO	64	0.136	0.155

## THERMAL INSULATION OPTIONS



# HARDWARE CONFIGURATIONS

---

METHOD A



HANDLE - HANDLE

METHOD B



HANDLE - PULL BAR

METHOD C



DOOR PULL - PULL BAR

---

## DOOR OPENING DIRECTION

LEFT  
HAND  
SWING




LEFT-HAND  
OUT-SWING



LEFT-HAND  
IN-SWING

RIGHT  
HAND  
SWING



RIGHT-HAND  
OUT-SWING



RIGHT-HAND  
IN-SWING




# ACCESSORIES

## HANDLES



**PASA Handle**  
Knob (Extra Charge)  
Inox, Black, Old Gold F4

Method **A | B**



**HAGA Handle**  
Knob (Extra Charge)  
Inox, Black, Old Gold F4

Method **A | B**



**PASA Handle**  
With Slim Rosette  
Inox, Black, Old Gold F4

Method **B**



**SOLO GAJA Handle**  
With Slim Rosette  
Inox, Black, Old Gold F4

Method **B**

## PULL BAR



**K35 Door Pull Handle**  
Inox Stainless Steel | Black

Method **B | C**

length 180 cm (70 inch)  
length 160 cm (63 inch)  
length 120 cm (47 inch)  
length 120 cm (23 inch)



**KK35 Door Pull Handle**  
Inox Stainless Steel | Black

Method **B | C**

length 180 cm (70 inch)  
length 160 cm (63 inch)  
length 120 cm (47 inch)  
length 120 cm (23 inch)



**KP Door Pull Handle**  
Inox Stainless Steel | Black

Method **B | C**

length 180 cm (70 inch)  
length 160 cm (63 inch)  
length 120 cm (47 inch)  
length 120 cm (23 inch)



**KPL2 Door Pull Handle**  
Inox Stainless Steel | Black

Method **B | C**

length 180 cm (70 inch)  
length 160 cm (63 inch)  
length 120 cm (47 inch)  
length 120 cm (23 inch)



**O35 Door Pull Handle**  
Inox Stainless Steel | Black

Method **B | C**

length 180 cm (70 inch)  
length 160 cm (63 inch)  
length 120 cm (47 inch)  
length 120 cm (23 inch)



**OP Door Pull Handle**  
Inox Stainless Steel | Black

Method **B | C**

length 180 cm (70 inch)  
length 160 cm (63 inch)  
length 120 cm (47 inch)  
length 120 cm (23 inch)



info@patkowskiconstruction.com  
www.patkowskiconstruction.com



visit our location:  
1775 Rogers Ave  
San Jose, CA 95112



650-863-2808

We speak English and Polish.

